

# DYKEM®

Marking Systems



## THE MARK OF EXCELLENCE™

Paint Markers

Temporary Ink Markers

Speciality Markers

Layout Fluids

# Paint Markers

BRITE-MARK® Valve Action Paint Markers



## Typical Applications


- Identifying inventory
- Work in-progress
- Identifying tools
- Welding/fabricating metal
- Finished products
- General purpose felt tip paint markers that write on virtually any surface
- Quick drying, oil-based paint withstands indoor and outdoor conditions without fading, chipping or losing opacity
- Valve action mechanism prevents paint in barrel from drying when cap is left off
- Formula is not xylene-based
- Available in different tip sizes and colors
- Drying time: 25-35 seconds

## BRITE-MARK® Fine

- Permanent fine fiber tip valve action paint marker, ideal for the easy labelling of small parts

### Product Code and Color

41001	Blue	41010	Orange	41016	Silver
41003	Black	41002	Red	41045	Violet
41008	White	41004	Green		
41006	Yellow	41014	Gold		




## BRITE-MARK® 916 Medium

- Permanent medium fiber tip valve action paint marker

### Product Code and Color

84001	Blue	84006	Red	84009	Pink
84002	Black	84007	Green	84010	Brown
84003	White	84051	Gold	84008	Lt Blue
84004	Yellow	84050	Silver	84022	Lt Green
84005	Orange	84019	Violet		



## BRITE-MARK® 40 Medium


- Permanent medium fiber tip valve action paint marker. Clip cap screw for secure closure. Threaded barrel allows the marker to be screwed into a jig or apparatus

### Product Code and Color

40001	Blue	40010	Orange	40016	Silver
40003	Black	40002	Red	40045	Violet
40008	White	40004	Green	40009	Pink
40006	Yellow	40014	Gold	40007	Brown



BRITE-MARK® H<sub>2</sub>O Water-Based



## Typical Applications

- Identifying inventory
- Work in-progress
- Identifying tools
- Welding/fabricating metal
- Finished products

- General purpose felt tip paint markers that write on virtually any surface
- Water-based permanent paint
- Low Odor / Low VOC
- No hazardous air pollutants (HAP's)
- Valve action mechanism prevents paint in barrel from drying when cap is left off
- Available in different colors
- Drying time: 60-90 seconds

## BRITE-MARK® H<sub>2</sub>O Medium


- Permanent medium fiber tip valve action water-based paint marker.

### Product Code and Color

91603	Blue	91425	White
91426	Black	91604	Orange
91602	Green	91428	Red
91427	Yellow		



TUFF GUY™ General Purpose



## Typical Applications

- Shrink wrap and plastics
- Machine shops

- General purpose marker
- Highly resistant to coolants and cutting fluids
- Not a xylene based formula
- Valve action mechanism prevents ink in barrel from drying when cap is left off
- Threaded barrel allows the marker to be screwed into a jig or apparatus
- Drying time: 45 seconds - 1 minute

## TUFF GUY™ General Purpose Marker

Product Code	Color	Product Code	Color
44203	Black	44175	White
44819	Red	44177	Green
44401	Yellow	44179	Blue





### Typical Applications

- Structural steel
- Steel stockholders
- Construction sites
- Identifying rusty / oily / greasy tools
- Identifying parts that are stored outside
- Stainless steel-ball tip – no risk of tip wear even if you are writing on rough concrete or rusty metal
- Easily writes through oil, grease and water
- Writes at all angles, even upside down
- Paint withstands extreme weather conditions without losing legibility or brightness
- Available in different tip sizes and colours
- TEXPEN® is a smaller version of the DALO®
- Drying time: 25-35 minutes

## TEXPEN®

- Steel tip paint marker - Medium Barrel

### Fine Tip

#### Product Code and Color

16030	Black	Black	16080	White	White
16010	Blue	Blue	16060	Yellow	Yellow
16040	Green	Green	16100	Orange	Orange
16020	Red	Red			

### Medium Tip

#### Product Code and Color

16033	Black	Black	16083	White	White
16013	Blue	Blue	16063	Yellow	Yellow
16043	Green	Green	16103	Orange	Orange
16023	Red	Red			

### Broad Tip

#### Product Code and Color

16034	Black	Black	16084	White	White
16014	Blue	Blue	16064	Yellow	Yellow
16044	Green	Green	16104	Orange	Orange
16024	Red	Red			



## DALO®

- Steel tip paint marker - Large Barrel

### Medium Tip

#### Product Code and Color

16033	Black	Black	16083	White	White
16013	Blue	Blue	16063	Yellow	Yellow
16043	Green	Green	16103	Orange	Orange
16023	Red	Red			

### Broad Tip

#### Product Code and Color

16034	Black	Black	16084	White	White
16014	Blue	Blue	16064	Yellow	Yellow
16044	Green	Green	16104	Orange	Orange
16024	Red	Red			



## Temporary Ink Markers



### Typical Applications

- Quality control
- Work in - progress
- Automotive industry
- Perfect for temporary writing on non-treated, non-painted metal surfaces which require ink that can be removed with water or with detergents with a pH of ≤ 10
- General purpose xylene-free temporary ink markers
- Ideal for quality control
- No ghosting or bleed-through occurs when removed marks are painted over
- Drying Time: 25-35 seconds

## RINZ OFF® Water Removable

- Marks can be removed with water

### Medium Tip

#### Product Code and Color

91109	Black	Black	91106	Red	Red
91105	Blue	Blue	91757	Yellow	Yellow
91108	Green	Green	91709	White	White

### Broad Tip

#### Product Code and Color

44109	Black	Black	44106	Red	Red
44105	Blue	Blue	44757	Yellow	Yellow
44108	Green	Green	44709	White	White



## SUDZ OFF® Detergent Removable

- Marks can be removed with mild detergent (pH higher than 10)

### Medium Tip

#### Product Code and Color

91985	Black	Black	91939	Red	Red
91938	Blue	Blue	91694	Yellow	Yellow
91371	Green	Green	91146	White	White

### Broad Tip

#### Product Code and Color

44985	Black	Black	44939	Red	Red
44938	Blue	Blue	44694	Yellow	Yellow
44371	Green	Green	44146	White	White



# Speciality Markers

STRIKE-MARK™



## Typical Applications

- Packaging
- Marks cardboard, plastic, rubber, metal, and many other surfaces

## STRIKE-MARK™ Fast Dry Marker

- Over 12 times the writing life compared to other permanent ink markers
- Drying time: less than 10 seconds on most surfaces
- Valve action tip allows dried out tips to re-inked...no waste!



Fine Tip			Medium Tip		
Product Code and Color			Product Code and Color		
33682	Black	Black	16033	Black	Black
33731	Blue	Blue	16013	Blue	Blue
33734	Green	Green	16043	Green	Green
33736	Red	Red	16023	Red	Red

HIGH TEMPERATURE MARKERS



## Typical Applications

- Components exposed to high temperatures
- Ideal for marking glass, metal and ceramics
- Electronics industry
- Ideal for marking on surfaces that are exposed to extreme high temperatures
- Mark becomes fused and permanent after heat is applied - up to 2000°F
- Ideal for marking glass, metal and ceramics
- Paint withstands extreme weather conditions without losing legibility or brightness

## HIGH TEMP 44

- Permanent fiber tip valve action paint marker
- Valve action mechanism prevents paint in barrel from drying when cap is left off
- Threaded barrel allows the marker to be screwed into a jig or apparatus
- Drying time: 45 seconds -1 minute



Product Code and Color		Product Code and Color	
44250	Black	44219	White
44094	Blue	44424	Yellow
44266	Green		

## HIGH TEMP TXP

- Stainless steel-ball tip - no risk of tip wear even if you are writing on rough concrete or rusty metal
- Easily writes through oil, grease and water
- Writes at all angles, even upside down
- Drying time: 25 -30 minutes



Fine Tip		Medium Tip	
Product Code and Color		Product Code and Color	
17030	Black	17033	Black
17080	White	17083	White
17060	Yellow	17063	Yellow

HIGH PURITY MARKERS



## Typical Applications

- Marking stainless steel
- Ideal for welding
- Aerospace industry
- Ship/boat/marine industries
- Used where surface degradation, contamination or other adverse effects are a concern
- Paint will not contaminate or adversely affect the surface being marked
- Meets the requirements of the US Energy Research & Development Administration "Nuclear Grade" for black, red, yellow and white inks.

## HIGH PURITY

- Permanent fiber tip valve action paint marker
- Valve action mechanism prevents paint in barrel from drying when cap is left off
- Drying time: 45 seconds -1 minute




Fine Tip		Medium Tip	
Product Code and Color		Product Code and Color	
33404	Black	44404	Black
33301	Red	44534	Blue
33729	White	44301	Red
		44729	White
		44916	Yellow

## HIGH PURITY TXP

- Stainless steel-ball tip - no risk of tip wear even if you are writing on rough concrete or rusty metal
- Easily writes through oil, grease and water
- Drying time: 25 -30 minutes



Medium Tip - Product Code and Color	
17473	Black
17463	White
14143	Yellow



### Typical Applications

- Ideal for fabricating structural steel or layout work where marks are required to bleed through a primer coat covering the marks

- Marks bleed through when painted over with oil/solvent based paints and primers
- Makes permanent marks on plastic, metal, glass, ceramics, and most non-porous surfaces.
- Fast drying permanent ink marks on almost any surface
- Can be used for identification purposes
- Chisel tips are replaceable to assure complete use of paint in each marker
- Valve action mechanism prevents ink in barrel from drying when cap is left off
- Threaded barrel allows the marker to be screwed into a jig or apparatus

### BLEED THRU™

#### Product Code and Color

44541  Black



### Typical Applications

- Provides a deep, uniform color that prevents glare so scribes appear clear, sharp and precise

- Resists cracking and chipping
- Add practically no thickness to work piece
- Dries in minutes
- Reduces eye strain
- Toluene free

### STEEL BLUE®

#### Product Code Size

80000 *Aerosol 16 oz.*  
 80200 *Felt Applicator 2 oz.*  
 80300 *Brush-In-Cap 4 oz.*  
 80400 *Brush-In-Cap 8 oz.*  
 80600 *Bottle 930 mL*



### Typical Applications

- Prepares surfaces for better adhesion of layout fluids and removes layout fluids when project is complete

- Prepares metal surfaces
- Dries in minutes
- Does not contain toluene or chlorinated solvents

### REMOVER & CLEANER

#### Product Code Size

82038 *Aerosol 16 oz.*  
 82638 *Bottle 930 mL*  
 82738 *Bottle 1 Gallon*  
 82838 *Pail 5 Gallons*  
 82938 *Drum 55 Gallons*



- Detects high spots on bearings, gears and other close fits
- Blue, soft, uniform paste spreads easily and evenly
- The film remains pliable and transferable and in good condition for months
- Saves time and money in surface scraping work

### HI-SPOT BLUE

#### Product Code Size

83307 .55 oz Tube



### Typical Applications

- Quality control and warranty work

- Visually detects loose nuts and bolts
- Tamper proof torque mark
- Highly visible fluorescent orange color
- Excellent adhesion
- Safe for most surfaces
- Provides warranty protection

### CROSS CHECK™

#### Product Code Color Size

83314  Orange 1 oz Tube



# Merchandising

## CANISTERS

- Come filled and ready to display
- Compact footprint:  
4" (w) x 6.75" (h)
- BRITE-MARK® display holds:  
12 Yellow  
12 Black  
12 White
- \* STRIKE-MARK™ display holds:  
36 Black

### HI-SPOT BLUE

Product Code	Pack Description
84060	BRITE-MARK® Display (Filled)
84080	STRIKE-MARK™ Display (Filled)
84061	BRITE-MARK® Display (Empty)
84081	STRIKE-MARK™ Display (Empty)



## BLISTER CARDS



### BRITE-MARK® Blister Card

#### Product Code and Color

84101	Blue
84102	Black
84107	Green
84104	Yellow
84103	White
84105	Orange
84106	Red



### TEXPEN® Blister Card

#### Product Code and Color

16018	Blue
16038	Black
16048	Green
16068	Yellow
16088	White
16108	Orange
16028	Red

## DISPLAY

- Adds visibility to markers
  - Constructed with light weight, corrugated cardboard
  - Configured to hold any marker box in the DYKEM® marker line
  - Compact footprint:  
8" (w) x 11.25" (D) x 11" (H)
- The DYKEM® Pen display is shipped empty

### PEN DISPLAY

Product Code	Pack Description
84999	Pen Display



## SHOWCASE

- Showcases the variety of DYKEM® marking systems line
- Comes stocked with product and 50 sheets of literature
- Footprint with Literature:  
12.5" (w) x 10" (D) x 17.5" (H)
- Footprint without Literature:  
12.5" (w) x 10" (D) x 14.5" (H)

### PEN SHOWCASE

Product Code	Pack Description
84997	Pen Showcase



## DEMO KIT

- Allows for demonstration of the entire DYKEM® product line
- Comes with product and demonstration supplies and instructions

### PEN DEMO KIT

Product Code	Pack Description
84998	Pen Demo Kit



For further information on DYKEM® products, visit us at [www.dykem.com](http://www.dykem.com) or call us direct at 800.443.9536

### Distributor Information